



# LOPOLIGHT

## PRODUCT SELECTION CHART

Vessel Length m(ft)	0-7 (0-23)	7-12 (23-39,4)	12-20 (39,4 –65,6)	20-50 (65,6-164)	50 + (164 +)
<b>Power boats (slow)</b>	360° white light P/N 200-012	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm masthead (steaming) light: 200-010 2 nm anchor light: 200-012 Stern/masthead/anchor 200-020	2 nm sidelights : 300-001/2 or 200-003 or 200-004 2 nm stern light: 300-005 or 300-006 3 nm masthead (steaming) light: 200-011 2 nm anchor light: 200-012 Stern/masthead/anchor 200-019 N.U.C. light: 200-014	2 nm sidelights : 300-001/2 (no combined lights allowed) 2 nm stern light: 300-005 or 300-006 5 nm masthead (steaming) light: 300-011 2 nm anchor light: 200-012 N.U.C. light: 200-014	3 nm sidelights : 300-101/2 3 nm stern light: 300-106 6 nm masthead light: 300-111 3 nm anchor/R.A.M light: 300-112 N.U.C. light: 300-114
<b>Power boats</b>	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm masthead (steaming) light: 200-010 2 nm anchor light: 200-012 Stern/masthead/anchor 200-020	2 nm sidelights : 300-001/2 or 200-003 or 200-004 2 nm stern light: 300-005 or 300-006 3 nm masthead (steaming) light: 200-011 2 nm anchor light: 200-012 Stern/masthead/anchor 200-019 N.U.C. light: 200-014	2 nm sidelights : 300-001/2 (no combined lights allowed) 2 nm stern light: 300-005 or 300-006 5 nm masthead (steaming) light: 300-011 2 nm anchor light: 200-012 N.U.C. light: 200-014	3 nm sidelights : 300-101/2 3 nm stern light: 300-106 6 nm masthead light: 300-111 3 nm anchor/R.A.M light: 300-112 N.U.C. light: 300-114	
<b>Sailing boats without engine</b>	360° white light P/N 200-012	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm anchor light: 200-012 Tricolor light: 100-005 or 100-009	2 nm sidelights : 300-001/2 or 200-003 or 200-004 2 nm stern light: 300-005 or 300-006 2 nm anchor light: 200-012 Tricolor light: 200-005 or 200-007 N.U.C. light: 200-014	2 nm sidelights : 300-001/2 (no combined lights allowed) 2 nm stern light: 300-005 or 300-006 2 nm anchor light: 200-012 Sailboat lights: 200-015 and 200-014 or 200-016 and 200-018 N.U.C. light: 200-014	3 nm sidelights : 300-101/2 3 nm stern light: 300-106 3 nm anchor/R.A.M. light: 300-112 Sailboat lights: 300-115&4 (or 200-016 and 200-018) N.U.C. light: 300-114
<b>Sailing boats with engine</b>	360° white light P/N 200-012	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm masthead (steaming) light: 200-010 2 nm anchor light: 200-012 Tricolor light: 100-005 or 100-009	2 nm sidelights : 300-001/2 or 200-003 or 200-004 2 nm stern light: 300-005 or 300-006 3 nm masthead (steaming) light: 200-011 2 nm anchor light: 200-012 Tricolor light: 200-005 or 200-007 N.U.C. light: 200-014	2 nm sidelights : 300-001/2 (no combined lights allowed) 2 nm stern light: 300-005 or 300-006 5 nm masthead (steaming) light: 300-011 2 nm anchor light: 200-012 Sailboat lights: 200-015 and 200-014 or 200-016 and 200-018 N.U.C. light: 200-014	3 nm sidelights : 300-101/2 3 nm stern light: 300-106 6 nm masthead light: 300-111 3 nm anchor/R.A.M. light: 300-112 Sailboat lights: 300-115&4 (or 200-016 and 200-018) N.U.C. light: 300-114

### PRODUCT SELECTION CHART

Vessel Length m(ft)	0-7 (0-23)	7-12 (23-39,4)	12-20 (39,4-80,5)	20-50 (65,6-164)	50+
Power boats (slow)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Power boats	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sailing boats without engine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sailing boats with engine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



**LOPOLIGHT**  
**PRODUCT SELECTION CHART**

**Vessel Length m(ft)    0-7 (0-23)**

**7-12 (23-39,4)**

**Power boats (slow)**

360° white light  
P/N 200-012

1 nm sidelights :  
100-001/2 or 100-003 or 100-004  
2 nm stern light:  
300-005 or 300-006  
2 nm masthead (steaming) light:  
200-010  
2 nm anchor light: 200-012  
Stern/masthead/anchor 200-020



# LIGHT SELECTION – POWER BOATS 0 – 12 MTR (0-39,4 FT)

Starboard  
P/N 100-001 0-12m



Port  
P/N 100-002 0-12m



OR

Combined Sidelights  
P/N 100-004 0-12m



OR

Combined Sidelights  
P/N 200-003 12-20m




Stern  
P/N 300-005 0-50m




OR

Stern  
P/N 300-006 0-50m



Masthead 2nm  
P/N 200-010 0-12m



OR

Anchor  
P/N 200-012 0-50m



P/N 200-020



OR

Anchor  
P/N 200-012 0-50m



The combinations listed above are recommendations from Lopolight -

 LOPOLIGHT  
PRODUCT SELECTION CHART

Vessel Length m(ft)    0-7 (0-23)                      7-12 (23-39,4) 

**Sailing boats  
without engine**

360° white light P/N 200-012	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm anchor light: 200-012 Tricolor light: 100-005 or 100-009
---------------------------------	---



**LOPOLIGHT**  
**PRODUCT SELECTION CHART**

**Vessel Length m(ft)    0-7 (0-23)**

**7-12 (23-39,4)**

**Sailing boats  
with engine**

360° white light P/N 200-012	1 nm sidelights : 100-001/2 or 100-003 or 100-004 2 nm stern light: 300-005 or 300-006 2 nm masthead (steaming) light: 200-010 2 nm anchor light: 200-012 Tricolor light: 100-005 or 100-009
---------------------------------	---

 **LOPOLIGHT**   
**PRODUCT SELECTION CHART**

Vessel Length m(ft)

12-20 (39,4 –65,6)

**Power boats**

2 nm sidelights :  
300-001/2 or 200-003 or 200-004  
2 nm stern light:  
300-005 or 300-006  
3 nm masthead (steaming) light:  
200-011  
2 nm anchor light: 200-012  
Stern/masthead/anchor 200-019  
N.U.C. light: 200-014

 LOPOLIGHT  
PRODUCT SELECTION CHART

Vessel Length m(ft)

12-20 (39,4 –65,6)

**Sailing boats  
without engine**

2 nm sidelights :  
300-001/2 or 200-003 or 200-004  
2 nm stern light:  
300-005 or 300-006  
2 nm anchor light: 200-012  
Tricolor light: 200-005 or 200-007  
N.U.C. light: 200-014

 LOPOLIGHT  
PRODUCT SELECTION CHART

Vessel Length m(ft)

12-20 (39,4 –65,6)

**Sailing boats  
with engine**

2 nm sidelights :  
300-001/2 or 200-003 or 200-004  
2 nm stern light:  
300-005 or 300-006  
3 nm masthead (steaming) light:  
200-011  
2 nm anchor light: 200-012  
Tricolor light: 200-005 or 200-007  
N.U.C. light: 200-014



**LOPOLIGHT**  
**PRODUCT SELECTION CHART**

**Power boats**

2 nm sidelights :  
300-001/2 (no combined lights allowed)  
2 nm stern light:  
300-005 or 300-006  
5 nm masthead (steaming) light:  
300-011  
2 nm anchor light:  
200-012  
N.U.C. light: 200-014



**LOPOLIGHT**  
**PRODUCT SELECTION CHART**

**Sailing boats  
with engine**

2 nm sidelights :  
300-001/2 (no combined lights allowed)  
2 nm stern light: 300-005 or 300-006  
5 nm masthead (steaming) light:  
300-011  
2 nm anchor light: 200-012  
Sailboat lights: 200-015 and 200-014  
or 200-016 and 200-018  
N.U.C. light: 200-014

  
PRODUCT SELECTION CHART

Vessel Length m(ft)

50 + (164 +)

Power boats

3 nm sidelights : 300-101/2  
3 nm stern light: 300-106  
6 nm masthead light:  
300-111  
3 nm anchor/R.A.M light:  
300-112  
N.U.C. light: 300-114

 **LOPOLIGHT**   
**PRODUCT SELECTION CHART**

Vessel Length m(ft)

50 + (164 +)

**Sailing boats  
with engine**

3 nm sidelights : 300-101/2  
3 nm stern light: 300-106  
6 nm masthead light:  
300-111  
3 nm anchor/R.A.M. light:  
300-112  
Sailboat lights: 300-115&4  
(or 200-016 and 200-018)  
N.U.C. light: 300-114