






Socket outlets - TECHNICAL CHARACTERISTICS

Other standard plugs and socket outlets

	 16242	 16243	 16245	 16246	 16247
2P 15 A 127 V~ American standard plug	●	●	●	●	
2P+E 15 A 127 V~ American standard plug	●	●	●	●	
2P 15 A 250 V~ American standard plug					●
2P+E 15 A 250 V~ American standard plug					●
2P+E 10 A 250 V~ American standard plug					

● Standard plug matching socket outlet

Conformity to Standards

- Saudi Arabian standard socket outlet: SSA 444 Standard

VIMAR plugs - other standards

- **01096**: 2P+E 15 A 127 V~ American and Saudi Arabian standards
- **01105**: 2P+E 15 A 250 V~ American standard

Socket outlets

Other standard socket outlet


*16242	.B	2P+E 15 A 127 V~ SICURY socket outlet, American and Saudi Arabian standards
*16243	.B	Double 2P+E 15 A 127 V~ SICURY socket outlet, American and Saudi Arabian standards - 3 modules



16242
grey




16242.B
white



16243
grey



16243.B
white



Other standard socket outlet


*16245	.B	2P+E 15 A 127 V~ socket outlet, American and Saudi Arabian standards
*16246	.B	Double 2P+E 15 A 127 V~ socket outlet, American and Saudi Arabian standards - 3 modules
*16247	.B	2P+E 15 A 250 V~ socket outlet, American standard



16245
grey




16245.B
white



16246
grey




16246.B
white



16247
grey



16247.B
white



Other standard socket outlet


08408 2P+E 16 A 250 V~ SICURY socket outlet, German standard - 2 special modules

08412 2P+E 16 A 250 V~ SICURY socket outlet, French standard - 2 special modules


Technical specifications: see page 160



08408



08412



Other standard socket outlet

***08192** 2P 15 A 250 V~ socket outlet, Euro-American standard (for plugs with parallel flat pins and \varnothing 4,8 mm pins)

***08193** 2P 15 A 250 V~ socket outlet, Euro-American standard (for plugs with parallel and in-line flat pins and \varnothing 4 mm pins)


***08194** 2P 15 A 250 V~ socket outlet, Euro-American standard (for plugs with parallel and in-line flat pins and \varnothing 4,8 mm pins))

***08195** 2P+E 15 A 127 V~ socket outlet, American and Saudi Arabian standards. For 01096 plug


Technical specifications: see pages 160 - 162




08192




08193



08194



08195



Other standard socket outlet

***08109** 2P 10 A 250 V~ socket outlet, recessed socket-contacts, for 2P with \varnothing 4 mm pins, 19 mm distance between centres

***08110** 2P 10 A 250 V~ socket outlet, recessed socket-contacts, for 2P with \varnothing 4 mm pins, 19 mm distance between centres, radio symbol

***08111** 2P 10 A 250 V~ socket outlet, recessed socket-contacts, for 2P with \varnothing 4 mm pins, 19 mm distance between centres, telephone symbol

***08112** 2P 10 A 250 V~ socket outlet, recessed socket-contacts, for 2P with \varnothing 4 mm pins, 19 mm distance between centres, television symbol

***08120** 2P+E 10 A 250 V~ socket outlet, recessed socket-contacts, for 2P and 2P+E plugs with \varnothing 4 mm pins, 19 mm distance between centres

Technical specifications: see page 162




08109



08110



08111



08112



08120

