




ZWAARDVIS IS A LANDE GROUP BRAND PRODUCTION (SERIES, TAILOR-MADE) | DESIGN + DEVELOPMENT | SPARES + SERVICE MANUFACTURER FOR 40 YEARS **RV PRODUCTS** AUGUST 2019














For the past 40 years *ZWAARDVIS* (Dutch translation for Swordfish) has specialised in the development and production of helm seats, seat pedestals and table pedestals for yachting and commercial shipping markets. We also supply into other leisure and commercial markets which include caravans, motor homes and commercial and service vehicles as customs and police.

Next to our standard products we can design custom made products according your specifications in consultation with you and our engineers.

Our keywords are design, quality and reliability!

ZWAARDVIS products are distributed through-out the world.

Visit our website at www.zwaardvis.com



### ARE YOU LOOKING FOR A SOLUTION?

Tables in motor homes can often be problematic if the product is not designed correctly. Poor or impractical mechanisms for locking and adjustment, table top movement even when locked and limited leg space are just a few of the problems associated with other pedestal systems. Zwaardvis has been developing and manufacturing high quality table pedestals for boats, caravans and motor homes for the past 40 years.

With many different designs for various applications you will find a solution which is tailored to your installation within the Zwaardvis range.

## C O N T E N T S

## QUICK RELEASE

QUICK RELEASE RV QUICK RELEASE MARINE

## TABLE PEDESTALS FIXED HEIGHT

RHO | ALASKA FT GAMMA | INOXX FB COLUMBUS

## TABLE PEDESTALS ADJUSTABLE HEIGHT

ALASKA PB | SIGMA OMEGA PLUG-IN

### TABLE SLIDERS

64200 | 64220 | 64425 POP-UP RV SLIM-LINE

## T-SYSTEM

FIXED | MOVABLE X-MOVE SPRING-LOCK | X-MOVE FLEX-LOCK SINGLE FOLD | DOUBLE FOLD SLIDE-FOLD | POP-UP TURNTABLE

### TRITON

TRITON 1 | TRITON 2 (76/60) | TRITON 2 (100/76) TRITON DELUXE TURNTABLE | EXCENTRIC ARM



 4
 8
 11
 14
 16
 22

## TABLE PEDESTAL WITH COMFORTABLE LOCKING SYSTEM



Free standing, easily removable table pedestal with comfortable locking system for optimal space in RV and boat. The pedestal is easy to install and remove by 270° pivoting moverment of the column. Vinyl support for removable and pivoting table top. Base gradually rising up to 12 mm to avoid stumbling. Extractable bench/bed systems in campervans will slide over the base easily. Available with a coated steel base for RV's or a polished stainless steel base with watertight slot for maritime purposes.

Columns are available with diameter 60 mm for table position and 76 mm for bed and table position. 3 models, available in several heights:

- Anodized aluminum, ribbed surface
- Anodized aluminum, smooth surface
- *S/S 316, mirror polished*

Standard heights 670 and 720 mm. Each Ø 76 mm model is also available with length 400 mm for bed height.

Rubber clamps are available for the demounted column. Other solutions for table tops with pivoting, folding or sliding movements on request.






🗣 62851G

Column for bed position

♥ 62871G







♥ 64027G





## QUICK RELEASE RV





♦ 62851B

🎙 62842G



� 64021G



♥ 62851B





## QUICK RELEASE MARINE






₲4022



Column for bed position









€64023



🏶 63776-QR

ITEM NO.	ITEM
Quick relea	se RV, table column, steel base
62842 G/B	Base grey or black, column alu, smooth surface Ø 60 mm, height 735 m
62851 G/B	Base grey or blac, column alu, ribbed surface Ø 60 mm, height 685 mm
62871 G/B	Base grey or black, column alu, smooth surface Ø 76 mm, height 685 mm
Quick Relea	se Marine, table column, deck mount base
62942	Base S/S 316, polished, column alu, smooth surface $\emptyset$ 60 mm, height 685
62952	Base S/S 316, polished, column alu, ribbed surface $\emptyset$ 60 mm, height 735
62971	Base S/S 316, polished, column alu, smooth surface $\emptyset$ 76 mm, height 685
Quick Relea	se Marine, table column, base covered by teak layer
62742	Hidden base S/S 316, polished, column alu, smooth surface Ø 60 mm, height 735 mm
62751	Hidden base S/S 316, polished, column alu, ribbed surface Ø 60 mm, height 685 mm
62771	Hidden base S/S 316, polished, column alu, smooth surface Ø 76 mm, height 685 mm
64021G/B	Quick Release RV base, steel, Ø 245 mm, height 14 mm, powder coated grey or black
64027G	Quick Release RV flush mount base, Ø 110mm, steel, grey, top plate 3 r recessed locking part: Ø 40 mm, depth 8 mm
64022	Quick Release Marine base, Ø 245 mm, height 14 mm, STS 316, mirror polished
64024	Quick Release Marine hidden base, mounting plate Ø 150 mm, visible surface Ø 90 mm, mirror polished
64023	Table support Ø 60, size Ø 190 mm, grey vinyl, pivoting and removable locking with knob
63776-QR	Table support Ø 76, size 240 x 240 mm, grey powder coated, aluminum pivoting and removable, locking with knob
69061	Wall mount clamp for $ otin 60 \text{mm} $ column, black vinyl



## TABLE PEDESTALS FIXED HEIGHT

## TABLE PEDESTALS FIXED HEIGHT

RHO





🗣 Rho FDR II

🗣 Rho FBR I



🗣 Rho FBX X

A strong fixed height table pedestal with ribbed column made of aluminium. The base is made of cast anodized aluminium. Removable support made in cast aluminium which is powdercoated. Tube diameter 60 mm or 76 mm. Also available with built-in/flush mount base.

Base Ø 250 mm

ITEM NO.	ITEM	
For remova	ble table top	
36011	Rho FBA I table pedestal, alu column 60 mm, surface mounted base, height 680 mm	
36012	Rho FDA II table pedestal, alu column 60 mm, flush mount base, height 670 mm	
For pivoting & removable table top		
36021	Rho FBR I table pedestal, alu column 60 mm, surface mounted base, height 690 mm	
36022	Rho FDR II table pedestal, alu column 60 mm, flush mount base, height 685 mm	
36121	Rho FBR XI table pedestal, alu column 76 mm, surface mounted base, height 690 mm	
For all dired	tion sliding/pivoting table top	
36031	Rho FBX I table pedestal, alu column 60 mm, surface mounted base, height 735 mm	
36131	Rho FBX X table pedestal, alu column 76 mm, surface mounted base, height 735 mm	

ALASKA FT



🗣 Alaska FT I

Ultra strong table-pedestal in fixed height. Anodized 100 mm diameter column and bases, glued.

Tube Ø 100 mm | base/support Ø 300 mm

Table pedestal with diameter 60 mm or 76 mm. The column is tapered at both ends. The deck mount base is identical to the support. Base also available in flush mount/built-in. Base & support tapered fitting.

Base Ø 250 mm

ITEM NO.	ITEM
36000	Gamma FL I table pedestal, alu column 60 mm, surface mounted base Ø 190 mm, height 680 mm
36001	Gamma FB I table pedestal, alu column 60 mm, surface mounted base Ø 250 mm, height 680 mm
36002	Gamma FD II table pedestal, alu column 60 mm, flush mounted base, height 665 mm
36055	Gamma FS II table pedestal, S/S column 60 mm, flush mounted base with S/S cover, height 680 mm
36101	Gamma FB X table pedestal, alu column 76 mm, surface mounted bas Ø 250 mm, height 680 mm
36102	Gamma FD XI table pedestal, alu column 76 mm, flush mounted base, height 665 mm
36155	Gamma FS XII table pedestal, S/S column 76 mm, flush mounted base with S/S cover, height $680\ mm$

Strong table pedestal made of mirror-polished stainless steel 316. Fixed support. Other heights upon request.

Tube Ø 108 mm | base Ø 270 mm

TEM NO.	ITEM
6974	Alaska FT I table pedestal, height 740 mm

ITEM NO.	ITEM
32168	Inoxx FB III table pedestal, height 680 mm

Т 3





INOXX FB



Inoxx FB III

## TABLE PEDESTALS FIXED HEIGHT

## TABLE PEDESTALS ADJUSTABLE HEIGHT

COLUMBUS




Columbus WR

Versatile lite weight construction in various versions for cockpit application. Easy mounting and operating Support removeable. Solid locking due to the ribbed aluminium tube, 40 mm diameter. Tube **S** formed, **L** formed or straight, satin anodized. Easy handling. Tableplate is securely locked due to ribbed column and brackets. For small tableplates only. Extra wall mounting brackets available for usage of the table on another position.

Base Ø 160 mm



Columbus WF



Columbus WA



ITEM
Columbus WR table pedestal, wall mount, I <sup>-</sup> shape swivel arm, pivoting table support
Columbus WF table pedestal, wall mount, I-shape swivel arm, fold down & sliding table support
Columbus WP table pedestal, wall mount, straight column, pivoting support
Columbus FP table pedestal, flush mount base, straight column, pivoting support
Columbus WA table pedestal, wall mount, I-shape swivel arm, sliding, fold down & pivoting table support

Solid table pedestal with Powermatic height adjustment. Ribbed columns, diameter 100/76 mm. Shiny polished S/S 316 star-knob for added locking. For removable table top.

Fixed base  $\emptyset$  300 mm | ribbed aluminum tubes 100/76 mm

ITEM NO.	ITEM
36801	Alaska PB I table pedestal, for cocktail and dinner table, PowerMatic height adjustment 510–860 mm
36810	Alaska PB X table pedestal, for bed and table height, PowerMatic height adjustment 350 mm, column through floor, made to measurement

Popular solid table pedestal with telescopic tubes made of ribbed anodized aluminium. Diameters 60 and 76 mm. Manual or gas-strut height-adjustment. Strong locking device. Base made of casted aluminium, anodized, support or starbase casted aluminium, powder-coated.

Base Ø 250 mm | ribbed aluminum tubes 76/60 mm

ITEM NO.	ITEM
For remova	ble table top, surface mounted base
36500	Sigma MB I table pedestal, manual adjustment 490–810 mm
36600	Sigma PB I table pedestal, PowerMatic adjustment 490–810 mm
For pivoting	g/removable table top, flush mount base
36590	Sigma MD I table pedestal, manual adjustment 450–755 mm
36690	Sigma PD I table pedestal, PowerMatic adjustment 450–755 mm
For all direc	tion sliding/pivoting table top, surface mounted base
36520	Sigma MX I table pedestal, manual adjustment 565-870 mm
36620	Sigma PX I table pedestal, PowerMatic adjustment 565–870 mm



## ALASKA PB



🗣 Alaska PB I



Alaska PB X



🗣 Sigma MB I | PB I



11

OMEGA



Omega MR | PR



Omega MX | PX


Popular solid height adjustable table pedestal. Converts table into bed position with effective locking device. The table support is removable without tools. The height adjustment is manual or gas assisted. Available in several standard heights. Other heights available on request.

Base Ø 250 mm | column 76/60 mm **A** Attention! Space required underneath the floor.

TTENTINO.	I L L MI
For bed &	table height, removable table top
36506	Omega MR I table pedestal, manual v 365–685 mm, column 115 mm through floor
36504	Omega MR II table pedestal, manual adjustment 340–660 mm, column 145 mm through floor
36606	Omega PR I table pedestal, PowerMatic adjustment 365–685 mm, column 115 mm through floor
36604	Omega PR II table pedestal, PowerMatic adjustment 340–660 mm, column 140 mm through floor
For cockta	il & dinner table, all direction sliding & pivoting table top
36526	Omega MX I table pedestal, manual adjustment 440–745 mm, column 115 mm through floor
36524	Omega MX II table pedestal, manual adjustment 415–720 mm, column 140 mm through floor
36626	Omega PX I table pedestal, PowerMatic adjustment 440–720 mm, column 140 mm through floor
36624	Omega PX II table pedestal, PowerMatic adjustment 415–720 mm, column 140 mm through floor
For cockta	il & dinner table, all direction sliding & pivoting table top
36629	Omega PX III table pedestal, PowerMatic adjustment 365–670 mm, column 220 mm through floor

Simple, solid and inexpensive solution to convert a table into bed position. Just remove the plate with support and the inner column. Afterwards put the table support on the short column. To get a table you plug the inner tube in the short column. The short column has a tapered fitting at the bottom and a ribbed fitting at the top matching the inner tube to avoid wobbling and rotation. Choose for a the table top with the function rotate, rotating & slide or rotation and slide in every direction. Available in several standard heights. Other heights available on request. Plastic clamps to put away the innertube as option.

Surface mount table pedestal | for bed & table | changed by removable inner column | base Ø 250 mm



ITEM NO.	ITEM
For pivoting	g table top
39001CM	Plug-In Rotate table pedestal, height custom-made
39004	Plug-In Rotate IV table pedestal, height 340/720 mm
39005	Plug-In Rotate V table pedestal, height 350/730 mm
39006	Plug-In Rotate VI table pedestal, height 360/730 mm
For pivoting	g & sliding table top
39011CM	Plug-In Rotate & Slide table pedestal, height custom-made
39014	Plug-In Rotate & Slide IV table pedestal, height 340/720 mm
39015	Plug-In Rotate & Slide V table pedestal, height 350/730 mm
39016	Plug-In Rotate & Slide VI table pedestal, height 360/730 mm
For pivoting	g & every direction sliding table top
39021CM	Plug-In All Direction table pedestal, height custom-made
39024	Plug-In All Direction IV table pedestal, height 340/720 mm
39025	Plug-In All Direction V table pedestal, height 350/730 mm
39026	Plug-In All Direction VI table pedestal, height 360/730 mm
69061	Storage Clip for inner column

ITEM NO. ITEM





Plug-In R IV (table position | bed position)



Plug-In RS IV (table position | bed position)





Where space is limited, special table sliders in one or crossed directions makes it easier to take as seat on a L or U shaped bench.

### **ITEM NO. 64200**

Allows stepless horizontal movement within 200 mm. It is fastened with screws on the table support of all table pedestals except COLUMBUS and GAMMA.

### **ITEM NO. 64220**

Very flat, locks securely at two sides with a front lever. Due to its Delrin stick-on profiles it only matches ALPHA, BETA, PROTEUS and INOXX pedestals. Upper rail of anodized aluminium. Corrosion-proof. For/aft 180 mm.

● 64220




**ITEM NO. 64425** 

The table can slide in 2 directions to facilitate sitting-down when space is limited. Easy handling with one central lever for effective locking-device. Solid construction. Minimum size of plate is 500 x 500 mm. Available as an option in connection with a table pedestal RHO, SIGMA, OMEGA, LAMBDA with tube diameter 60 mm or PLUG-IN with 76 mm. Further as replacement kit for existing pedestal with support matching 60 or 76 mm (see different item numbers).

POP-UP RV SLIM-LINE Pop-Up RV Slim-Line table support, table extension length 200–310 mm, 64510

Table support with a central pop-up table top extension. If one wing is moved by manual operation, the other side will move automatically in opposite direction. The pop-up unit is served by handles at both sides of the central column at the bottom side of the support. The table support needs an additional basic support to fit on columns with a diameter of 60 or 76 mm (ITEM NOS. 64023/63776). This table support is suitable for light weight table tops for RV and caravan. For wooden table tops we recommend the T-SYSTEM POP-UP (ITEM NOS. 639070/639071, on page 21), combined with TRITON table columns. ITEM NO. ITEM





**6**4425


ITEM NO.	ITEM
64200-49	Table slide system, length 490 mm, slides 270 mm (63160/63161) / 210 mm (63760/63176) (see website for different lengths)
64220	Sliders, slides 180 mm, locks at both ends, locking with one grip at front, height 30 mm
64425-60	All Direction table support for 60 mm tube, mounting surface 500x500 mm, 200/230 mm pivoting/sliding (see website for different lengths)
64425-76	All Direction table support for 76 mm tube, mounting surface 500x500 mm, 200/230 mm pivoting/sliding (see website for different lengths)

width > 500 mm, length outside wings > 330 mm 64510



## T-SYSTEM TABLE SUPPORT WITH TRITON TABLE COLUMNS.

Fixed table support. Anodized aluminium. Height base plate 12 mm. Fits on TRITON table columns.




For dinner table, coffee table or bed. The new generation table systems suitable for every functionality. For fixed, moveable or foldable table top or combined functionalities.

DESIGN YOUR OWN TABLE FOR YOUR BOAT, MOTOR HOME, CARAVAN, HORSE BOX OR MOBILE OFFICE.

The table pedestal solutions are made with anodized aluminium base, column and support for a solid and light weight pedestal. With high end shiny polished stainless steel »Quick Release« locking for height adjustment and aluminiumsecure spring locking for the moveable options of the support. With adaptor for mounting the T-System table supports. The base is made of anodized/polished aluminium. Aluminum base Ø 300 mm also available with shiny polished stainless steel cover.


- Another height requested?
- Another size for the support?
- Another force required to support for height adjustment?

We gladly inform you to design the solution that fits!



ITEM NO.	ITEM
639010	T-System Fixed, table support, LxWxH: 290 x 320 x 12 mm

Table support for 200 mm movealble table top. Automatically spring locking with pin. Height base plate 12 mm.





ITEM NO.	ITEM	
639020	T-System Movable, table support, LxWxH: 542 x 320 x 12 mm	

## T-SYSTEM



## FIXED



T-System Fixed

## MOVABLE



## X-MOVE SPRING-LOCK




Table support for every direction moveable table support.

Slides 200–200 mm in X–Y direction. Automatically spring

locking with pin. Height base plate 12 mm.




Table support for one-side fold-up table top.

Slide bracket 300 mm.

ITEM NO. ITEM T-System Single fold, table support, size (BxL slide bracket in/out bracket): 320x468/728 mm 639040

## X-MOVE FLEX-LOCK


T-System X-Move Spring-Lock

For every direction moveable table top. Locked by friction in every position, served by a handle. Height base plate 12 mm.


Table support for two-side fold-up table top. Each slide bracket 300 mm.



T-System X-Move Flex-Lock



ITEM NO.	ITEM
639031	T-System X-Move flex-lock, table support, LxWxH: 609 x 542 x 12 mm



ITEM NO.	ITEM
639050	T-System Double fold, table support, size (BxL slide in/out bracket at both sides): 320x437/1037 mm



## SINGLE FOLD





T-System Single fold

## DOUBLE FOLD



T-System Double fold

Table support for one-side foldable and 265 mm slideable table top. With fold-down supporting leg in bed position. Automatically spring locking with pin. Length supporting leg depends on height bed position. Supporting leg with adjustable vinyl base.

### **A** Use with TRITON DELUXE table column only!

From both sides parallel extractable table top for central popup table extension. Service extraction available at both sides. Central Pop-up served by handles at both sides. Maximum length central extension 300 mm. For a table top with thickness up to 19 mm.

RV: Contains some powdercoated steel parts. Marine: Anodized alu and brushed S/S parts, AISI 316.


T-System Slide-Fold


20

ITEM NO. IT	ITE
-------------	-----

T-System Slide-Fold, table support, size (BxL fixed part table top): 440x530 mm 639060

ITEM NO.	ITEM
639070	T-System Pop-up RV, table support, max. extension 300 mm
639071	T-System Pop-up Marine, table support, max. extension 300 mm





## T-SYSTEM





friction. Height 15 mm.

## T-SYSTEM TURNTABLE



Made of anodized aluminium. Fits between TRITON table column and T-SYSTEM table support. Lockable each 45°, with pull knob. Height 54 mm. Also usable as pivoting table support, without T-System support (height 14 mm).

**A** Use for table columns only. Not permitted for seat columns and seats!

For tables in RV. Material: steel, black powdercoat. Floor

attached for base Ø 300 mm. Infinitely pivoting and locking by

ITEM	NO.	ITEM
63909	92	T-System Turntable, height 54 mm

## TRITON TURNTABLE



Triton Turntable

# **A** Use for table columns only. Not permitted for seat columns and seats!

ITEM NO. ITEM 639091 Triton Turntable, base Ø 300 mm, height 15 mm

## TRITON EXCENTRIC ARM



Triton Excentric arm

For a 150 mm out of center placed table top. Height 10 mm. Usable with TRITON TURNTABLE (ITEM NO. 639091).

### ITEM NO. ITEM 639093 Triton Excentric arm, height 10 mm

### TRITON 1

Fixed height of 675 mm. Height with T-System table support 687 mm. Anodized/polished aluminium base Ø 250 mm.

### TRITON 2 (76/60)


Height adjustable for dinner table and coffee table. Supporting gas strut 15 kg for height adjustment. Height 510-850 mm. Height with T-System table support 522-862 mm, Anodized/ polished base Ø 250 mm.

### TRITON 2 (100/76)

Height adjustable for dinner table and coffee table. Supporting gas strut 15 kg for height adjustment. Height 468-848 mm. Height with T-System table support 480-830 mm, Anodized/ polished base Ø 300 mm.

### TRITON DELUXE

Height adjustable from bed to dinner table with a supporting gas strut of 15 kg. Forces of 25, 30 or 45 kg are also available, depending weight table top.



ITEM NO.	ITEM
65869	Triton 1 table column, Ø 76 mm, height 675 mm (other heights upon red
65651	Triton 2 table column, Ø 76/60 mm, height 510-850 mm
65346	Triton 2 table column, Ø 100/76 mm, height 468–848 mm,
65446	Triton 2 table column, Ø 100/76 mm, height 468–848 mm, with shiny polished stainless steel cover
65029-150	Triton Deluxe table colum, Ø 100/76/60 mm, gas strut 15 kg, height 297–672 mm (+T-System 310–685 mm) (see website for different lengths/forces)
65129-150	Triton Deluxe table colum, $Ø$ 100/76/60 mm, gas strut 15 kg, height 297–672 mm (+T-System 310-685 mm), shiny polished stainless steel o (see website for different lengths/forces)

## TRITON





Triton 1



Triton 2 (100|76)



Triton 2 (76/60)





Triton Deluxe



WWW.ZWAARDVIS.COM

**ZWAARDVIS BV** P.O. BOX 115 5480 AC SCHIJNDEL THE NETHERLANDS *I* +31 (0) 73 549 20 74

+31 (0) 73 543 23 21

INFO@ZWAARDVIS.COM

## QUALITY PRODUCTS FOR MORE THAN 40 YEARS