

A photograph of a boat at night, illuminated with blue LED lighting. The boat has a canopy and two Yamaha outboard motors. The water is dark, and the sky is a deep blue with some clouds. The lighting is very bright and focused on the boat, creating a strong contrast with the dark surroundings.

shadow-caster[™]
LED LIGHTING

MARINE LIGHTING
PRODUCT GUIDE



Excellence in LED Lighting

SHADOW-CASTER™ LED LIGHTING

Shadow-Caster™ specializes in the design and manufacture of a complete range of innovative marine LED lighting products, controls and accessories. All products are manufactured at our facility in Clearwater, Florida USA. We pride ourselves on our superior customer support, making us the clear choice for lighting products that are exceptionally bright, robust and efficient.

We have relationships with major marine electronic manufacturers, including Garmin, Raymarine, Furuno, Simrad, Lowrance, B&G, and Humminbird to offer integrated solutions to provide seamless and easy to use marine lighting control interfaces.

OUR STORY

The founders of Shadow-Caster™ are driven to bring products to the marketplace that deliver high performance and reliability. Their devotion to the boating community drives constant evolution and improvements to the Shadow-Caster™ product line. This continual improvement sets Shadow-Caster™ Lighting above the rest.


At Shadow-Caster™ we strive to innovate beyond the standard LED light. Over the last few years, our Shadow-NET™ technology has continuously evolved and today you will find products utilizing our unique lighting protocol integrated across many boat manufacturers. Shadow-NET™ delivers on our vision to provide customers with integrated lighting control for an entire boat.

UNDERWATER LIGHTS

SCR SERIES

Bronze housing and borosilicate glass window make this light a great all round choice.

- Best in class for brightness, ease of operation and quality
- Ideal for 'Live In The Water' boats
- Proprietary clear-gel-filled design
- Scratch resistant, tempered glass lens
- Bronze housing
- IP68 fully submersible waterproof design
- Transient surge and reverse polarity protection
- Thermal throttling technology
- 10-40V input range



SC3 SERIES

Our newest underwater light series for smaller and more cost sensitive applications.

- Bronze housing with 3.4" diameter and tempered glass window
- Ideal for 'Live In The Water' boats
- Clear gel filled design
- 24 watts, 3000 lumen output
- IP68 fully submersible waterproof design

SC3 PONTOON

A light designed specifically for bracket mounting on pontoon boats.

- Rear bolt design provides a sleek mounting profile
- Hard anodized aluminum housing with glass window
- 3 color options including RGB
- IP68 fully submersible waterproof design



4"
[101.6mm]



0.56"
[14.6mm]

- ### SCR-24
- Up to 10,000 lumens
 - 120° beam angle
 - 90 watts power draw
 - 12 built-in colors (CC model only)
 - Unlimited colors enabled with Shadow-NET™ (RGB-CC model only)



4"
[101.6mm]



0.56"
[14.6mm]

- ### SCR-16
- Up to 7,000 lumens
 - 120° beam angle
 - 60 watts power draw
 - Built-in color control (BW model)
 - Built-in dimming (single color models)



3.4"
[86mm]



0.8"
[20.3mm]

- ### SC3-BZSM
- Economical cost option
 - Bronze housing
 - Up to 3,000 lumens
 - Surface mount
 - Passive RGB design
 - 2A current draw at 12V
 - 10-30V input range
 - Unlimited colors enabled with Shadow-NET™ (RGB-CC model only)



3.4"
[86mm]



0.5"
[15.2mm]

- ### SC3-ALTB PONTOON LIGHT
- Use with RGB controller
 - Hard anodized aluminum housing
 - Up to 3,000 lumens
 - Bracket mount
 - Passive RGB design
 - 1A current draw (RGB)
 - 1.4A current draw (single color)
 - 12V input only



UNDERWATER LIGHTS

SCM SERIES

Low profile design, high brightness and stainless steel housing make this light a great choice for trailer and lift kept boats.

- Proprietary clear-gel-filled design
- Tough, polycarbonate lens
- Corrosion resistant passivated stainless steel 316 housing
- IP68 fully submersible waterproof design
- Transient surge and reverse polarity protection
- Thermal throttling technology
- 10-40V input range



10" [254mm]



SCM-10-EXT-CC

- 10 RGBW LEDs
- Up to 4,000 lumens
- 120° beam angle
- 42W power draw



7.2" [182.9mm]



SCM-6

- 6 single color LEDs
- Up to 2,400 lumens
- 120° beam angle
- 24W power draw



2.4" [61mm]



10" [254mm]

SCM-10

- 10 single color LEDs
- Up to 4,000 lumens
- 120° beam angle
- 42W power draw



2.4" [61mm]



5.8" [147.3mm]

SCM-4

- 4 single color LEDs
- Up to 1,600 lumens
- 120° beam angle
- 16W power draw



0.5" [12.7mm]



SCM SERIES ULTRA-LOW PROFILE DESIGN

ABOVE WATER LIGHTS

SPREADER LIGHTS

Ideal choice for lighting large deck areas of your vessel.


- Flush mount version ideal for mounting in T-tops
- Bracket mount version is ideal for retrofit in existing installations
- White or black finish available
- Durable glass lens
- IP67 waterproof design
- 10-30V input range



DOWN LIGHTS

Overhead lighting for your vessel. Ideal for T-tops and interior areas.

- White, black or chrome finish to match your boat aesthetics
- DLX version is 3 inch outside diameter with all glass reveal
- DL version is 2 inch outside diameter
- 10-30V input range



5" [127mm]

SCM-SLF-WH Flush Mount

LED colors:
RGBW WBR GW CC

1.7" [43.2mm]



5" [127mm]

SCM-SLF-BK Flush Mount

LED colors:
RGBW WBR GW CC

1.7" [43.2mm]



4.25" [108mm]

SCM-SLB-WH Bracket Mount

LED colors:
RGBW WBR GW CC

1.6" [40.6mm]



4.25" [108mm]

SCM-SLB-BK Bracket Mount

LED colors:
RGBW WBR GW CC

1.6" [40.6mm]



LED colors:
RGBW WBR GW CC



LED colors:
RGBW CC

Chrome window models



LED colors:
BB WW CW



LED colors:
RGBW WBR GW CC



LED colors:
RGBW WBR GW CC

SCM-DLX

- Supports dimming
- 300 lumens
- 120° beam angle
- 3W power draw
- IP67 waterproof design
- Shadow-NET™ Enabled (RGBW-CC model)



- 3" [76.2mm] outside diameter
- 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole

SCM-DLXS

- A simple lower cost Down Light option
- 300 lumens
- 120° beam angle
- 3W power draw
- IP67 waterproof design

- 3" [76.2mm] outside diameter
- 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole

SCM-DL

- Supports dimming
- 300 lumens
- 120° beam angle
- 3W power draw
- IP67 waterproof design
- Shadow-NET™ Enabled (RGBW-CC model)



- 2" [50.8mm] outside diameter
- 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole

SCM-SL SERIES

- Low-profile aluminum housing
- 2,200 lumens
- 60° beam angle
- 24W power draw
- IP67 waterproof design




- 1.6" mounting depth (flush mount)
- 2.8" mounting depth (bracket mount)
- Shadow-NET™ Enabled (RGBW-CC model)

ABOVE WATER LIGHTS

ACCENT STRIP LIGHTS

Shadow-Caster™ Accent Strip Lights provide color-changing RGB lighting for accent areas, hatches, steps, covers, shelves and compartments.

The SCM-AL-LED marine LED light strip is ideal for mounting out of direct view while the SCM-AL-NEON & SCM-AL-MINI-NEON versions are recommended where the strip will be directly visible, as they have an integrated light diffuser to create a pleasant, continuous lighting look.



Type	SCM-AL-NEON	SCM-AL-MINI-NEON	SCM-AL-SV-MINI-NEON	SCM-AL-LED
Neon RGB				
Neon RGB (smaller bend radius than SCM-AL-NEON)				
Side Illuminated Neon RGB (smaller bend radius than SCM-AL-NEON)				
LED RGB				
Installation	Ideal for installing where strip will be visible			
Illumination	Diffuse RGB color			
Lengths Available	8ft & 16ft [2.44m & 4.88m]		8ft, 16ft & 30ft [2.44m, 4.88m & 9.14m]	8ft & 16ft [2.44m & 4.88m]
Cut Lengths	Cut to length in 1/4" (31.25 mm) increments	Cut to length in 1" (2.5cm) increments	Cut to length in 1" (2.5cm) increments	Cut to length in 2" (5cm) increments
Waterproof	IP67 waterproof design			
Cross Section	0.5" x 0.8" [12.7 x 20.3mm]	0.4" x 0.4" [10.2 x 10.2mm]	0.2" x 0.5" [5.1mm x 12.7mm]	0.2" x 0.5" [5.1mm x 12.7mm]
Bend Direction				
Mounting Track	See Accessories on page 19 for available Mounting Track			

COURTESY LIGHTS

Low profile design great for lighting accent areas, hatches, steps and bathtwells.

Available in two finishes: polished stainless steel, or UV resistant ABS with a black and white cover included.



- SCM-CL / SCM-CL-SS
- Up to 26,000 med light output
- 40,000 hour LED lifetime
- 12/24V compatible
- 60mA (single color)
- 120mA max (RGB)
- IP67 waterproof design
- 3" x 0.78" x 0.2" [76.2 x 19.8 x 5.1mm]
- Edge emitting LED lights with 110° viewing angle for single lights and 130° for color changing lights



ROUND ACCENT LIGHTS

The SCM-RAL series offer bright accent lighting in a compact and low power draw design.

The RAL series are IP68 rated making them great for illuminating bathtwells, hatches, cupholders, toe kicks and highlighting smaller areas of your vessel.



	SCM-RAL-RGB-0.5	SCM-RAL-RGB-0.4-PW	SCM-RAL-RGB-0.4-AB
Description	Clear plastic bright light	Diffused plastic low profile	Black aluminum with clear lens
Recommended Use	Bathtwells, hatches and courtesy lighting	Hatches, map lighting and small spaces	Great for cup holders and panel mount instrument lighting
IP Rating	IP68	IP67	IP65
Voltage/Current	12V/30ma	12V/20ma	12V/20ma
Opening	1/2" [12.7mm]	3/8" [9.5mm]	3/8" [9.5mm]

SCM-RAL-RGB-0.5

SCM-RAL-RGB-0.4-PW

SCM-RAL-RGB-0.4-AB

CONTROLLERS

SCM LIGHT COMMANDER MULTI-ZONE LIGHTING CONTROLLER



LIGHT COMMANDER NZK
NMEA 2000 Light Controller and
Expansion Module

LIGHT COMMANDER NZK PLUS
NMEA 2000 'PLUS' built-in connectivity
to Ethernet

SCM LIGHT COMMANDER

The Shadow-Caster™ Light Commander is an NMEA 2000 connected lighting controller based on the newly published NMEA 2000 lighting control standards.

Utilization of NMEA 2000 lighting standards enable "next level" implementation of lighting control and marine system integration and system interoperability.

The expandable Light Commander multi-zone lighting controller supports up to 6 zones of lighting per module with native support for 4 zones of RGB or RGBW lights and unlimited Shadow-NET™ devices.

The lighting controller supports programs including multiple color fade, music sync and color rotation.

- NMEA 2000 backbone or MFD network port connectivity

- IP67 water resistant rated housing with Deutsch connections

- All in one design, no need for a separate MFD communication bridge (SCM-LC-PLUS)

- Up to 6 separate zones of lighting control - expandable to 18 zones by connecting multiple units

- 6 "Instant ON" switch inputs for enabling lights without MFD control

- Support for RGB and RGBW lighting

COMPATIBLE WITH LEADING MFD BRANDS
GARMIN **B&G** **SIMRAD** **FURUNO** **LOWRANCE** **Raymarine** **HUMMINBIRD**

INTERFACING TO THE SCM LIGHT COMMANDER

NMEA 2000

Direct NMEA 2000 connectivity.
Check with your MFD manufacturer to verify support.

SCM-LC-NZK or SCM-LC-PLUS



NETWORK INTERFACE

Direct network connectivity supported by most MFD manufacturers.

SCM-LC-PLUS



PUSH BUTTON CONTROL FOR 6 ZONES


Push button control for 6 zones via momentary switch.

- Press for ON/OFF
- Press and hold to dim




CONTROLLERS

SCM-LC-N2K TYPICAL WIRING



SCM-LC-PLUS TYPICAL WIRING



CONTROLLERS

SCM-MFD-LC-KIT

The Shadow-Caster™ MFD Lighting Control Kit is compatible with most major MFD manufacturers including Garmin™, Simrad, Lowrance® B&G, Raymarine®, Furuno and Humminbird. Simply plug into your system's network interface and step through the on-screen setup. There is no additional software to install or complex configuration required.

- RGB, RGBW, 2 color and single color lighting
- Zone control (for multi-zone applications only)
- Multiple fade mode changes
- Control color and brightness
- 4 versions of music sync
- Endless lighting scenes can be configured and recalled
- Control transition speed, colour sequence for multiple fade and strobe modes

SCM-MFD-LC-KIT INCLUDES:



SCM-MFD-BRIDGE

- Provides ethernet connectivity interface for Shadow-Caster™ lighting controllers
- Comes with standard ethernet cable (adapter might be required from screen manufacturer)
- Shadow-Caster™ IP67 cables available for Garmin and Navico brands Simrad, Lowrance, and B&G models.
- Supports 6 zones of lighting control
- Recommended for use with SCM-MZ-LC (explore SCM-LC-PLUS version for newer systems)



SCM-MZ-LC

- 4 individually fused 15 amp RGBW lighting connections
- Compatible with 12/24 volt systems
- 3.5mm female audio connection for music sync input
- IP65 washdown rated enclosure
- Shadow-NET™ Enabled

COMPATIBLE WITH LEADING MFD BRANDS

GARMIN

B&G

SIMRAD

FURUNO

LOWRANCE

Raymarine

HUMMINBIRD

SCM-ZC-KIT

The Multi-Zone Lighting Control Kit SCM-ZC-KIT provides easy control with full Shadow-NET™ lighting control functionality.

The kit includes the SCM-ZC-REMOTE and the SCM-MZ-LC.

- RGB, RGBW, 2 color and single color lighting
- Zone control (for multi-zone applications only)
- Multiple fade mode changes
- Brightness in each zone
- 3 versions of music sync
- Control transition speed, color sequence for multiple fade and strobe modes

SCM-ZC-KIT INCLUDES:



SCM-ZC-REMOTE

- Easy to connect 4-conductor wiring harness
- 16 back-lit tactile push buttons
- Mounting hole 3.625" (9.2cm)
- IP65 water resistant

SCM-MZ-LC

- 4 individually fused 15 amp RGBW lighting connections
- Compatible with 12/24 volt systems
- 3.5mm female audio connection for music sync input
- IP65 washdown rated enclosure
- Shadow-NET™ Enabled

SCM-SNLC

The Shadow-Caster™ Single Zone Lighting Controller SCM-SNLC can be used to control a single zone of standard RGB or RGBW lighting.

When the SCM-SNLC is combined with our SCM-SWITCH-O/O/MOMENTARY a wider range of control options are accessible. Simply toggle power to set color and brightness and to select multiple fade modes.



SCM-SNLC


- Brightness control
- 12 pre-programmed colors
- Fade and color change modes
- Small compact IP67 waterproof housing
- Outputs Shadow-NET™ commands to synchronize
- Underwater lights with above water RGB lights
- Selectable to be compatible with RGB and RGBW lights
- RGBW+ LEDs and strips
- Control up to 250 watts of LED strip
- Shadow-NET™ Enabled

POWER DISTRIBUTION

SCM-PD4CH & SCM-PWR6

The SCM-PD4CH is a 4-position power distribution module that provides a convenient way to connect and power up to four Shadow-Caster™ underwater lights.

The SCM-PWR6 MODULE is a 6 channel digital switch module to interface any standard light with the Shadow-Caster™ Shadow-NET™ interface.



SCM-PD4CH

The SCM-PD4CH provides a convenient way to power and protect up to 4 Shadow-Caster™ underwater lights.

- Compact remote power control box
- Green/red LED indicates the status of each output channel
- Individual digital overcurrent protection for each channel
- Compatible with Shadow-Caster™ single and multi-color lights
- Recommended when installing two or more underwater lights
- Use with a helm mounted switch or with no switch when using compatible Shadow-Caster™ controller
- Blue back light Shadow-Caster™ logo panel indicates power state
- IP67 Deutsch connections



SCM-PWR6

The SCM-PWR6 is designed to allow control of simple ON/OFF and other 3rd party lights as part of a "Lighting Scene" through the Shadow-Caster™ interface.

- 6 Independent digital switches
- Control 3rd party lighting
- Digital over current protection
- Manual switch override
- Full integration with Shadow-NET™ interface
- Blue back light Shadow-Caster™ logo panel indicates power state



ACCESSORIES


ACCENT LIGHTING MOUNTING TRACK

SCM-AL-TRACK-1M	AL LED Track
SCM-AL-MINI-TRACK-1M	Mini Neon Track
SCM-AL-SWIMINI-NEON-TRACK-1M	SV Mini Neon Track



GASKETS

SCM-GASKETS-SCR	SCR Gasket for metal hulls
SCM-GASKETS-SCM4	SCM 4 Gasket for metal hulls
SCM-GASKETS-SCM6	SCM 6 Gasket for metal hulls
SCM-GASKETS-SCM10	SCM 10 Gasket for metal hulls
SCM-GASKETS-SC3TB	SC3 Thru-Bolt Gasket for metal hulls
SCM-GASKETS-SC3SM	SC3 AL Surface Mount Gasket for metal hulls
SCM-GASKETS-SC3SM-BR	SC3 Bronze Gasket for metal hulls



TRIM TAB MOUNTS

SCR-TT	Single Trim Tab Mount for SCR series
SCM-TT10	Single Trim Tab Mount for SCM-10
SCM-TT6	Single Trim Tab Mount for SCM-6
SCM-TT4	Single Trim Tab Mount for SCM-4



DOCK LIGHT

SCM-DOCKMOUNT	SCR underwater light with secure dock mounting attachment
---------------	---



CABLES

SCM-AMFD-CABLE-GARMIN	Garmin IP67 ethernet cable
SCM-AMFD-CABLE-NAVICO	Sirrad, Lowrance, B&G IP67 ethernet cable
SCM-LC-HARNNESS	D Style pre-wired connectors (for SCM-LC-N2K or PLUS)
SCM-SCNET01	1m Shadow-Net™ cable
SCM-SCNET02	2m Shadow-Net™ cable
SCM-SCNET04	4m Shadow-Net™ cable
SCM-SCNET05	5m Shadow-Net™ cable
SCM-SCNETY	0.5 meter Shadow-NET™ splitter (2 male to 1 female)
SCM-SCNETMMCOUPLER-0.5	Shadow-NET™ cable male to male coupler



WIRE (AVAILABLE BY THE FOOT)

SCM-SCNETOYTP20G-50	Orange & yellow wire 20awg twisted pair, 50ft (15m)
SCM-SCNETOYTP20G-50	Orange & yellow wire 20awg twisted pair, 100ft (30.5m)
SCM-ARBOV-50	4 conductor wire: 18awg red & black, 20awg orange & yellow, black outer jacket, 50ft (15m)
SCM-ARBOV-100	4 conductor wire: 18awg red & black, 20awg orange & yellow, black outer jacket, 100ft (30.5m)
SCM-RGBT18G-50	4 conductor wire: 18awg red, green, blue, black with black outer jacket, 50ft (15m)
SCM-RGBT18G-100	4 conductor wire: 18awg red, green, blue, black with black outer jacket, 100ft (30.5m)

INDEX OF PART NUMBERS

SCR UNDERWATER LIGHTS

SCR-24-CC-BZ-10	Color Changing	Page 4
SCR-24-BW-BZ-10	Blue/White	Page 4
SCR-24-GW-BZ-10	Great White	Page 4
SCR-24-BB-BZ-10	Bimini Blue	Page 4
SCR-24-AG-BZ-10	Aqua Green	Page 4
SCR-16-BW-BZ-10	Blue/White	Page 4
SCR-16-UB-BZ-10	Ultra Blue	Page 4
SCR-16-GW-BZ-10	Great White	Page 4
SCR-16-BB-BZ-10	Bimini Blue	Page 4
SCR-16-AG-BZ-10	Aqua Green	Page 4
SCR-16-CR-BZ-10	Cool Red	Page 4
SC3-CC-BZSM	Color Changing	Page 5
SC3-BW-BZSM	Blue/White	Page 5
SC3-GW-BZSM	Great White	Page 5
SC3-BB-BZSM	Bimini Blue	Page 5
SC3-RGB-ALTB	Color Changing	Page 5
SC3-GW-ALTB	Great White	Page 5
SC3-BB-ALTB	Bimini Blue	Page 5

SCM UNDERWATER LIGHTS

SCM-10-EXT-CC	Color Changing	Page 6
SCM-10-BB-20	Bimini Blue	Page 6
SCM-10-GW-20	Great White	Page 6
SCM-10-AG-20	Aqua Green	Page 6
SCM-10-UB-20	Ultra Blue	Page 6
SCM-10-CR-20	Cool Red	Page 6
SCM-6-BB-20	Bimini Blue	Page 7
SCM-6-GW-20	Great White	Page 7
SCM-6-AG-20	Aqua Green	Page 7
SCM-6-UB-20	Ultra Blue	Page 7
SCM-6-CR-20	Cool Red	Page 7
SCM-4-BB-20	Bimini Blue	Page 7
SCM-4-GW-20	Great White	Page 7
SCM-4-AG-20	Aqua Green	Page 7
SCM-4-UB-20	Ultra Blue	Page 7
SCM-4-CR-20	Cool Red	Page 7

CONTROLLERS

SCM-LC-N2K	NMEA 2000 Lighting Controller	Page 12-15
SCM-LC-PLUS	NMEA 2000 Lighting Controller	Page 12-15
SCM-MFD-LC-KIT	SC-NET Lighting Controller	Page 16
SCM-MFD-BRIDGE	Ethernet Communications Bridge	Page 16
SCM-MZ-LC	Multi Zone Lighting Controller	Page 16-17
SCM-ZC-KIT	Multi-Zone Lighting Controller Kit	Page 17
SCM-ZC-REMOTE	4 Zone Push Button Remote	Page 17
SCM-SNLC	Single Zone Lighting Controller	Page 17

SPREADER LIGHTS

SCM-SLF-CC-WH	Color Changing, Flush Mount, White Housing	Page 8
SCM-SLF-WBR-WH	White/Blue/Red, Flush Mount, White Housing	Page 8
SCM-SLF-GW-WH	Great White, Flush Mount, White Housing	Page 8
SCM-SLF-CC-BK	Color Changing, Flush Mount, Black Housing	Page 8
SCM-SLF-WBR-BK	White/Blue/Red, Flush Mount, Black Housing	Page 8
SCM-SLF-GW-BK	Great White, Flush Mount, Black Housing	Page 8
SCM-SLB-GW-WH	Color Changing, Bracket Mount, White Housing	Page 8
SCM-SLB-WBR-WH	White/Blue/Red, Bracket Mount, White Housing	Page 8
SCM-SLB-CC-WH	Great White, Bracket Mount, White Housing	Page 8
SCM-SLB-CC-BK	Color Changing, Bracket Mount, Black Housing	Page 8
SCM-SLB-WBR-BK	White/Blue/Red, Bracket Mount, Black Housing	Page 8
SCM-SLB-GW-BK	Great White, Bracket Mount, Black Housing	Page 8

DOWN LIGHTS

SCM-DLX-CC-WH	Color Changing White Housing/Window	Page 9
SCM-DLX-WBR-WH	White/Blue/Red, White Housing/Window	Page 9
SCM-DLX-GW-WH	Great White, White Housing/Window	Page 9
SCM-DLX-CC-BK	Color Changing, Black Housing/Window	Page 9
SCM-DLX-WBR-BK	White/Blue/Red, Black Housing/Window	Page 9
SCM-DLX-GW-BK	Great White, Black Housing/Window	Page 9
SCM-DLX-CC-CHR-WH	Color Changing, White Housing/Chrome Window	Page 9
SCM-DLX-CC-CHR-BK	Color Changing, Black Housing/Chrome Window	Page 9
SCM-DLXS-CW-WH	Cool White, White Housing/Window	Page 9
SCM-DLXS-WW-WH	Warm White, White Housing/Window	Page 9
SCM-DLXS-BB-WH	Bimini Blue, White Housing/Window	Page 9

SCM-DL-CC-WH	Color Changing, White Housing	Page 9
SCM-DL-WBR-WH	White/Blue/Red, White Housing	Page 9
SCM-DL-GW-WH	Great White, White Housing	Page 9
SCM-DL-CC-BK	Color Changing, Black Housing	Page 9
SCM-DL-WBR-BK	White/Blue/Red, Black Housing	Page 9
SCM-DL-GW-BK	Great White, Black Housing	Page 9

COURTESY LIGHTS

SCM-CL-BB	Bimini Blue/White & Black Covers	Page 11
SCM-CL-GW	Great White/White & Black Covers	Page 11
SCM-CL-CR	Cool Red/White & Black Covers	Page 11
SCM-CL-RGB	Multi-Color / White & Black Covers	Page 11
SCM-CL-BB/GW	Bimini Blue/Great White/White & Black Covers	Page 11
SCM-CL-BB-SS	Bimini Blue/Stainless Steel Cover	Page 11
SCM-CL-GW-SS	Great White/Stainless Steel cover	Page 11
SCM-CL-CR-SS	Cool Red/Stainless Steel Cover	Page 11
SCM-CL-BB/GW-SS	Bimini Blue/Great White/Stainless Steel Cover	Page 11
SCM-CL-RGB-SS	Multi-Color/Stainless Steel Cover	Page 11









ACCENT LIGHTS

SCM-RAL-RGB-0.5	Round Accent Light for 1/2" Hole	Page 11
SCM-RAL-RGB-0.4AB	Round Accent Light for 3/8" Hole, Black Aluminum	Page 11
SCM-RAL-RGB-0.4PW	Round Accent Light for 3/8" Hole, White Plastic	Page 11
SCM-AL-LED-08	8 ft RGB	Page 10
SCM-AL-LED-16	16 ft RGB	Page 10
SCM-AL-NEON-08	8 ft Neon RGB	Page 10
SCM-AL-NEON-16	16 ft Neon RGB	Page 10
SCM-AL-MINI-NEON-08	8 ft Mini Neon RGB	Page 10
SCM-AL-MINI-NEON-16	16 ft Mini Neon RGB	Page 10
SCM-AL-SV-MINI-NEON-08	8 ft Mini Neon RGB	Page 10
SCM-AL-SV-MINI-NEON-16	16 ft Mini Neon RGB	Page 10
SCM-AL-SV-MINI-NEON-30	30 ft Mini Neon RGB	Page 10

POWER DISTRIBUTION BOXES

SCM-PD4CH	4 Position Power Distribution Module	Page 18
SCM-PWR6	6 Channel Digital Switch Module	Page 18
SCM-PD-PLUS	Power Distribution for Shadow-Net™	visit our website for details
SCM-PD-RELAY-4	Power Distribution Box	visit our website for details

SHADOW-CASTER™ LIGHTING COLOR CODES

 GW - Great White	 CW - Cool White	 WW - Warm White	 UB - Ultra Blue
 AG - Aqua Green	 BB - Bimini Blue	 CR - Cool Red	 BW - Blue/White
 WBR - White/Blue/Red	 CC - Color Changing (RGB / RGB-CC / RGBW-CC)		



Designed & Manufactured
in Clearwater, FL

© 2023 Shadow-Caster™ LED Lighting, All Rights Reserved

Shadow-Caster™ LED Lighting | 2060 Calumet Street | Clearwater, FL 33765

p: 1+ 727.474.2877 e: info@shadow-caster.com w: shadow-caster.com